TABLE 59 INFANT DEATHS BY GEOGRAPHICAL AREA 2004

		INFANT D	PERINATAL MORTALITY			
	PLACE OF OCCURRENCE		PLACE OF RESIDENCE		PLACE OF RESIDENCE	
COUNTY	Number	Rate <u>a</u> /	Number	Rate <u>a</u> /	Number	Rate <u>b</u> /
Hawaiʻi	*	3.3	*	5.8	*	7.6
Honolulu	*	6.5	*	5.3	*	8.4
Kaua'i	*	1.2	*	4.8	*	8.4
Maui	*	2.8	*	5.3	*	8.4
Sub-Total Residents	-	-	*	5.3	*	8.3
Non-Residents	-	-	*	-	*	-
Unknown	-	-	*	-	*	-
TOTAL	101	5.5	101	-	158	8.6

^{*}Cell sizes suppressed.

TABLE 60
INFANT DEATHS BY ETHNICITY OF INFANT, AGE AND BIRTH WEIGHT RESIDENTS, 2004

		BIRTH WEIGHT					
ETHNICITY	Under 1 Day	1 - 6	7 - 27	Over 27	To	otal	Under 2500
OF INFANT	Rate a/	Rate <u>a</u> /	Rate <u>a</u> /	Rate <u>a</u> /	No.	Rate <u>a</u> /	grams <u>b</u> /
Caucasian	2.3	2.0	1.3	0.7	19	6.2	14
Hawaiian	3.0	0.6	0.4	1.8	39	5.8	29
Filipino	2.0	0.0	1.4	1.4	14	4.8	10
Japanese	0.6	2.3	1.7	1.1	10	5.7	6
All Others	2.4	0.5	0.0	1.1	15	4.0	10
TOTAL	2.4	0.9	0.8	1.3	97	5.3	69

Notes:

- a/ Rates are number of infant deaths per 1,000 live births.
- $\underline{b}\!/\!$ Birth weights under 2,500 grams are considered low birth weight.

a/ Number of Resident Deaths per 1,000 live births.

b/ Resident infant deaths under 1 week of age plus the number of fetal deaths of 20 weeks or more gestation divided by the sum of total resident live births plus resident fetal deaths of 20 weeks or more gestation, per 1,000.

TABLE 61 INFANT DEATHS BY CAUSE, SEX, BIRTH WEIGHT AND AGE RESIDENTS, 2004

		NEONATAL <u>a</u> /		
CAUSE OF DEATH <u>b</u> /	Number of Infant Deaths	Under 28 Days	Rate	
Maternal Complications of Pregnancy	7	7	0.4	
Short Gestation	16	15	0.8	
Perinatal Infection	10	9	0.5	
Other Perinatal Condition	6	5	0.3	
Other Congenital Anomaly	13	11	0.6	
SIDS	5	0	0.0	
All Other Causes	40	26	1.4	
TOTAL	97	73	4.0	

Note:

 $[\]underline{a}\!\!/$ Neonatal deaths are deaths of infants under 28 days of age. Rate is per 1,000 live births.

b/ The method of coding causes of death changed in 1999 to the International Classification of Diseases, Version 10.